

Xconnect R13 to R15

R1:

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.4 1315 encapsulation mpls
exit
exit
wr
```

R4

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.1 1315 encapsulation mpls
exit
exit
wr
```

Xconnect R14 to R16

R3

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.6 1416 encapsulation mpls
exit
exit
wr
```

R6

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.3 1416 encapsulation mpls
exit
exit
wr
```

Xconnect R19 to R17

R10:

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.7 1917 encapsulation mpls
exit
exit
wr
```

R7

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.10 1917 encapsulation mpls
exit
exit
wr
```

Xconnect R20 to R18

R12

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.9 2018 encapsulation mpls
exit
exit
wr
```

R9

```
config t
int fa0/0
no ip address
no ipv6 address
xconnect 172.16.15.12 2018 encapsulation mpls
exit
exit
wr
```